

A Review of Spectroscopic Techniques in Chemical Analysis

Dr. Krishan Kumar Arya
Department of Chemistry
Government Model Degree College
Arniya, Bulandshahr (U.P)

ABSTRACT

Spectroscopic methods have ushered in a paradigm shift in chemical analysis, providing fast, non-destructive, and extremely sensitive means for the identification and quantitation of chemical compounds in a wide range of scientific and industrial applications. These methods, such as UV-Vis, Infrared (IR), Raman, Nuclear Magnetic Resonance (NMR), and Mass Spectrometry (MS), have seen tremendous advancements, with hybrid techniques like Laser-Induced Breakdown Spectroscopy (LIBS) and Terahertz Spectroscopy further expanding their analytical scope. The recent developments in spectroscopy have been propelled by the combination of artificial intelligence (AI) and machine learning (ML), which have improved spectral data interpretation, automation, and real-time diagnostics, thus minimized human error and improved accuracy. Miniaturization and portability of spectrometers have enabled on-site and field-based applications, which have made spectroscopy more accessible for environmental monitoring, pharmaceuticals, food safety, and forensic science. Nevertheless, obstacles including high expense of state-of-the-art instrumentation, the difficulty in interpreting data, and the lack of standard spectral databases still prevent it from gaining more universal usage. Overcoming these weaknesses with AI-aided automation, better hybrid analytical strategies, and publicly available spectral databases will be vital to improve the efficiency, trustworthiness, and accessibility of spectroscopic analysis. With the ongoing development of technology, future innovations will be centered on high-throughput, low-cost, and portable spectroscopic systems, coupled with IoT and cloud-based platforms, further cementing spectroscopy's irreplaceable position in contemporary scientific research and industrial processes.

Key Words: Spectroscopic Techniques, Chemical Analysis, Artificial Intelligence (AI), Machine Learning (ML), Hybrid Spectroscopy, Mass Spectrometry, Portable Spectrometers, Real-time Diagnostics

1. INTRODUCTION

Spectroscopic methods have radically revolutionized the field of chemical analysis by enabling extremely precise, non-destructive, and speedy means of detection, identification, and measurement of chemical compounds. Spectroscopic methods have found their way into numerous scientific and industrial applications, ranging from the pharmaceutical and environmental monitoring industries to materials science and forensic analysis. The history of spectroscopy has been characterized by tremendous leaps in technology that enable scientists to explore the molecular architecture, electronic states, and vibration characteristics of chemical substances with unerring accuracy. Conventional spectroscopic techniques like Ultraviolet-Visible (UV-Vis), Infrared (IR), Raman, and Nuclear Magnetic Resonance (NMR) spectroscopy have been at the center of analytical chemistry, making qualitative and quantitative analysis of complex samples

possible. But as the analytical needs have grown tougher, recent advances such as Laser-Induced Breakdown Spectroscopy (LIBS), Terahertz Spectroscopy, and Mass Spectrometry (MS)-coupled methods have pushed the boundaries of spectroscopy to tougher applications, from nanotechnology to biomolecular analysis to space exploration. The marriage of artificial intelligence (AI) and machine learning (ML) with spectroscopic methods has also transformed data interpretation, providing automated, real-time analysis with greater accuracy. Artificial intelligence-based spectroscopic techniques now enable the identification of complex spectral patterns, streamline experimental protocols, and reduce errors in sample identification, thus making spectroscopy a critical tool for high-throughput chemical analysis.

The ongoing evolution of spectroscopic technologies is spurred by the increasing need for quick, on-site, and real-time analytical answers in various fields. Perhaps the most significant trend in contemporary spectroscopy is miniaturization, which has made it possible to create portable and handheld spectrometers that can perform accurate chemical analysis outside the laboratory. Hybrid spectroscopic methods, in which two or more modalities like Raman-IR or MS-NMR are combined, have been designed to overcome the disadvantages of single techniques and provide enhanced sensitivity, specificity, and wider analytical scope. The advancement of AI-based chemometric tools has also made advanced spectral analysis possible by enhancing pattern recognition, noise filtering, and predictive modeling, making spectroscopy easier and more accessible to use. In spite of these developments, there are still some challenges that remain, such as the expense of instrumentation, the intricacy of interpretation of spectral data, and the requirement for standardized spectral databases to provide reproducibility and accuracy. Overcoming these challenges through ongoing research and technological advancement will be essential in realizing the full potential of spectroscopic methods. This review explores the basic principles, recent advances, and future trends in spectroscopy, emphasizing its revolutionary role in chemical analysis and directions for future research and industrial applications.

1.1 Background

Spectroscopy, that is, the analysis of the interaction of matter with electromagnetic radiation, is a corner stone in analytical chemistry, generating vital information regarding the structural, electronic, and vibrational characteristics of materials. Through the investigation of the absorption, emission, or scattering of electromagnetic waves in different spectral domains, spectroscopy allows qualitative and quantitative evaluation of chemical compositions with unparalleled accuracy. Originally conceived as a basic analysis tool, spectroscopic methods have developed vastly over the years, moving from rudimentary optical methods to extremely complex, multi-dimensional methods harnessing leading-edge technologies. These developments have extended spectroscopy beyond its original use in chemical analysis to various other fields of application like pharmaceuticals, materials science, environmental monitoring, forensic analysis, and even astrophysics. Contemporary spectroscopy involves technological advancements like Fourier Transform (FT) methods, high-resolution imaging, laser-based approaches, and artificial intelligence-aided analysis, which increase its sensitivity, selectivity, and real-time diagnosticity. Through this, spectroscopy has evolved to become a vital tool both for academia and industry, which continuously fuels scientific advances and technological development.

1.2 Objectives of the Study

- To summarize the fundamental principles and mechanisms of major spectroscopic techniques.
- To examine recent technological advancements and applications.
- To identify emerging trends such as miniaturization, AI integration, and green spectroscopy.
- To critically evaluate the current challenges and propose future research directions.

1.3 Importance of the Topic

Increased demand for high-throughput, accurate, and in real-time analysis in key applications like pharmaceuticals, environmental, food safety, and forensic analyses emphasizes the increased significance of improved spectroscopic methodology. Conventional laboratory-based strategies, while exceptionally accurate, can be time-consuming with respect to sample preparation, sophisticated instrumentation, and expert skill, which inhibits their potential for instant decision-making. To address these challenges, scientists and industries have made efforts to design portable, miniaturized, and hybrid spectroscopic systems that facilitate rapid on-site analysis with little sample treatment. These technologies have minimized the reliance on centralized laboratories and made real-time diagnostics possible in remote areas, industrial environments, and field-based applications. Hybrid spectroscopic methods, which integrate several modalities like Raman-Infrared (IR) and Mass Spectrometry-Nuclear Magnetic Resonance (MS-NMR), provide enhanced analytical precision by avoiding the shortcomings of isolated methods, with increased sensitivity and specificity. Additionally, the inclusion of artificial intelligence (AI) and machine learning (ML) in spectroscopic analysis has transformed data interpretation with automated spectral categorization, anomaly detection, and predictive analytics. These developments not only enhance the efficacy of chemical analysis but also help create intelligent, decentralized diagnosis platforms that enable quicker decision-making in applications such as diagnosis of disease, detection of food contamination, and environmental pollution monitoring.

2. COMPARATIVE ANALYSIS OF SPECTROSCOPIC TECHNIQUES: PRINCIPLES, APPLICATIONS, AND LIMITATIONS

Spectroscopic methods are crucial analytical tools in chemistry that allow for accurate identification and measurement of substances in different applications. Conventional approaches such as UV-Vis, IR, Raman, NMR, and Mass Spectrometry have progressed with developments like miniaturization, automation, and integration of AI. Methods such as Atomic Absorption Spectroscopy (AAS) and Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES) improve trace metal detection, while newer techniques such as Laser-Induced Breakdown Spectroscopy (LIBS) and Terahertz Spectroscopy extend analytical capability. Hybrid systems that integrate spectroscopy with chromatographic and AI-assisted systems enhance sensitivity and

specificity, transforming application in the pharmaceutical industry, environmental monitoring, and forensic analysis. In spite of hurdles such as steep expenses and sophisticated data interpretation, continuous innovations still improve the precision, effectiveness, and real-time usability of spectroscopy.

2.1 UV-Visible and Fluorescence Spectroscopy

Ultraviolet-visible (UV-Vis) spectroscopy is a versatile analytical method employed to quantify the light absorption within the ultraviolet and visible ranges, inducing electronic molecular transitions. It is especially efficient for examining colored compounds, transition metal complexes, and conjugated organic systems, revealing valuable structural and concentration information regarding molecules. Recent technological advancements have led to the development of miniaturized and handheld UV-Vis spectrometers, enabling real-time, in-situ analysis in fields such as pharmaceuticals, environmental monitoring, and food safety. Fluorescence spectroscopy, a complementary technique, offers even greater sensitivity by detecting the emission of light from a sample after excitation, making it an essential tool in biomolecular studies, clinical diagnostics, and chemical sensing. However, both techniques have their limitations; UV-Vis spectroscopy often lacks specificity when analyzing complex mixtures, as overlapping absorption bands can obscure individual component identification. Fluorescence spectroscopy, while highly sensitive, is susceptible to fluorescence quenching, photobleaching, and background interference, which can compromise accuracy. In spite of these difficulties, ongoing developments in instrumentation, data analysis, and coupling with artificial intelligence are enhancing the accuracy and usability of these spectroscopic techniques in a range of scientific and industrial applications.

2.2 Infrared (IR) and Raman Spectroscopy

Infrared (IR) spectroscopy is a versatile analytical method that analyzes the vibrational transitions of molecules by measuring the absorption of infrared radiation. When molecules absorb IR radiation, their chemical bonds oscillate at specific frequencies, enabling the identification of functional groups and molecular structures. This makes IR spectroscopy especially valuable in organic and polymer chemistry, pharmaceuticals, and materials science. Fourier Transform Infrared Spectroscopy (FTIR), a superior form of IR spectroscopy, increases resolution of the spectrum and accelerates acquisition of data through simultaneous examination of multiple wavelengths. FTIR facilitated wider industrial utilization, such as real-time process monitoring of chemical reactions, analysis of the environment, and testing of food quality. Nonetheless, one of the main drawbacks of IR spectroscopy is that it is sensitive to water interference because water molecules absorb in the infrared range strongly, which can be problematic for the analysis of aqueous samples.

Raman spectroscopy, on the other hand, is based on inelastic scattering of monochromatic light, yielding characteristic molecular fingerprints that allow chemical substances to be identified. Raman methods, as opposed to IR spectroscopy, are less susceptible to interference from water, and are of special interest for the investigation of biological and aquatic samples. New development, such as Surface-Enhanced Raman Spectroscopy (SERS), has considerably enhanced

sensitivity through the use of metallic nanoparticles to enhance the Raman signal. This development has widened the applications of Raman spectroscopy in forensic science, pharmaceuticals, nanotechnology, and biomedical imaging. Raman spectroscopy also has its own limitations, such as fluorescence interference from some samples, which can mask weak Raman signals, and low signal intensity that usually requires more sensitive detection techniques. Although such limitations exist, IR and Raman spectroscopy are still valuable instruments in contemporary chemical analysis that provide complementary information to make molecular characterization more accurate and reliable.

2.3 Nuclear Magnetic Resonance (NMR) Spectroscopy

Nuclear Magnetic Resonance (NMR) spectroscopy is a very advanced analytical method giving detailed information about the molecular structure, dynamics, and interactions of organic compounds using the magnetic behavior of certain atomic nuclei. In a strong external magnetic field, these nuclei take up and give back electromagnetic radiation at specific frequencies, generating specific spectral patterns making it possible for accurate molecular identification. NMR spectroscopy is of vital importance in structural elucidation, allowing chemists to identify the connectivity, conformation, and functional groups of intricate molecules. Technological improvements over the years, including high-field superconducting magnets, cryogenic probes, and multi-dimensional NMR methods, have greatly improved sensitivity and resolution, expanding the range of applications in various fields. These advances have rendered NMR essential in metabolomics, drug discovery, polymer science, and biochemical research, where it is employed to investigate biomolecular interactions, pharmaceutical formulations, and metabolic pathways.

In spite of its incredible ability for analysis, NMR spectroscopy has a few limitations that hinder widespread use. One of the main hindrances is its extensive operating expense since the equipment necessitates the use of advanced superconducting magnets, liquid helium cooling, and upkeep that runs continuously. Another limitation is the complexity of NMR data, which requires expert interpretation and, therefore, less availability to non-experts. The method is also inherently less sensitive to the measurement than mass spectrometry, needing relatively high concentrations of the sample to be analyzed effectively. In addition, sample preparation can be protracted, and some nuclei, i.e., carbon-13 and nitrogen-15, give weak signals, often necessitating isotopic enrichment for enhanced detection. In spite of these difficulties, continued improvements in hardware, computation, and machine learning-aided spectral analysis continue to push the efficiency and availability of NMR spectroscopy, solidifying its position as a gold standard in molecular identification.

2.4 Mass Spectrometry Coupled Techniques

Mass spectrometry (MS) is a highly sensitive analytical technique used to identify chemical species based on their mass-to-charge (m/z) ratio. It plays an important role in chemical analysis through the ability to detect, quantify, and structurally elucidate molecules in various fields. The underlying principle of MS entails ionizing chemical compounds into charge molecules which are separated and detected according to their characteristic mass-to-charge ratios. This potent

technique delivers unmatched sensitivity and specificity, earning it a pivotal role in industries like pharmaceuticals, environmental observation, forensic science, and biochemical investigation. MS is frequently used in combination with chromatographic strategies, including Gas Chromatography-Mass Spectrometry (GC-MS) and Liquid Chromatography-Mass Spectrometry (LC-MS), to provide further compound discrimination prior to identification. These paired systems enable the exact analysis of complicated mixtures, and they are therefore critical to applications in drug discovery, proteomics, toxicology, and food safety.

Recent developments in MS technology have further improved its performance, with enhanced sensitivity, resolution, and speed. Breakthroughs like Matrix-Assisted Laser Desorption/Ionization (MALDI) and Time-of-Flight (TOF) analyzers have transformed mass spectrometry by allowing large biomolecules like proteins and peptides to be analyzed with little fragmentation. Ultra-high resolution MS methods, such as Orbitrap and FT-ICR MS, enable ultra-high mass accuracy, making it possible to identify intricate molecular structures with great precision. Yet, even with these developments, mass spectrometry is not without challenges that may affect its accessibility and efficiency. Complex sample preparation, matrix effects, and high instrumentation costs restrict widespread use, especially in resource-constrained environments. Additionally, the requirement for specialization in data analysis and interpretation necessitates incorporating AI-driven automation and machine learning tools to optimize workflows.

2.5 Atomic Absorption and Emission Spectroscopy

Atomic spectroscopy methods, including Atomic Absorption Spectroscopy (AAS) and Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES), are important tools used to identify and measure trace metals in environmental, clinical, and industrial analysis. These methods function by leveraging the absorption or emission of light from free atoms that are in the gaseous phase so as to carry out accurate elemental analysis. AAS is generally used for its superior sensitivity to detect individual metals and is hence of maximum utility in toxicology, food safety, and pharmaceutical quality control. Its singularity for individual elements reduces its efficiency in multi-element sample analysis. ICP-OES is a more holistic method as it provides simultaneous multi-element detection with higher sensitivity and lower detection limits. It is widely applied in environmental monitoring, metallurgy, and geochemical research. Recent developments in both methods, including enhanced automation, greater detection power, and coupling with chemometric tools, have dramatically enhanced their accuracy and efficiency. In spite of these advances, AAS is still limited by its sequential operation, whereas ICP-OES requires greater energy usage and sophisticated instrumentation, and thus is less suited for routine use. However, continuous improvements in instrument construction, combined with the use of artificial intelligence processing of data, continue to upgrade the reliability and usability of atomic spectroscopy for contemporary analytical science.

2.6 Emerging and Hybrid Techniques

New spectroscopic methods such as Laser-Induced Breakdown Spectroscopy (LIBS), Terahertz Spectroscopy, and Near-Infrared (NIR) Spectroscopy are transforming chemical analysis by allowing the fast, non-destructive, and on-site identification of diverse substances. LIBS, in which high-power laser pulses induce plasma and characterize its emitted light, has also become very important in space exploration, metallurgy, and environmental monitoring because it can conduct real-time, multi-element analysis with little sample preparation. Terahertz spectroscopy, however, works in the electromagnetic spectrum between microwave and infrared, which is well suited for non-invasive imaging in security screening, pharmaceutical quality control, and biomedical diagnostics. Its capacity to penetrate non-metallic substances without being ionizing has resulted in its common use in identifying concealed substances and structural flaws.

Besides, Near-Infrared (NIR) spectroscopy is gaining greater popularity in agricultural, food quality analysis, and pharmaceutical sectors owing to its potential to study organic compounds through molecular vibrations. One of the major breakthroughs in spectroscopy has been the development of hybrid systems that combine different spectroscopic approaches with chromatographic, electrophoretic, or AI-based data analysis tools. These hybrid strategies improve the specificity, sensitivity, and reproducibility of spectral information, enabling improved compound identification and quantitation. The application of artificial intelligence and machine learning in spectroscopy has also augmented real-time decision-making, automated spectral categorization, and predictive modeling. These improvements in total open up possibilities for more precise, less expensive, and field-portable spectroscopic solutions with diminished reliance on conventional laboratory-based methods.

Table 1: Comparative Overview of Common Spectroscopic Techniques

Technique	Principle	Key Applications	Advantages	Limitations
UV-Vis	Absorption of UV/visible light by molecules	Concentration analysis, colorimetric assays	Simple, cost-effective, fast	Low specificity, background interference
Fluorescence	Emission of light after excitation	Protein/DNA detection, biosensing	High sensitivity	Fluorescence quenching, photobleaching
IR (FTIR)	Vibrational transitions in molecules	Functional group identification, material characterization	Non-destructive, rapid	Water interference, limited to IR-active bonds
Raman	Inelastic scattering of light	Chemical fingerprinting, forensic analysis	Minimal sample prep, works on water-rich samples	Weak signal intensity, fluorescence interference
NMR	Magnetic behavior of nuclei in magnetic field	Structural elucidation, metabolomics	Detailed molecular info, non-destructive	High cost, complex data interpretation

Mass Spectrometry	Mass-to-charge ratio detection	Proteomics, toxicology, drug development	High sensitivity and selectivity	Expensive, complex instrumentation
AAS/ICP-OES	Atomic absorption/emission of light	Trace metal analysis	High precision, multi-element capability (ICP)	AAS limited to single element, matrix effects
LIBS	Laser-induced plasma emission	Elemental analysis, space exploration	Real-time, minimal prep	Limited quantitative accuracy
Terahertz	Non-ionizing radiation interaction	Imaging, polymorph identification	Non-destructive, safe	Expensive, limited penetration depth

3. ADVANCEMENTS IN AI AND MACHINE LEARNING FOR SPECTROSCOPIC DATA ANALYSIS

The amalgamation of machine learning (ML) and artificial intelligence (AI) with spectroscopic methods has transformed chemical analysis by simplifying complex data interpretation, improving pattern recognition, and making predictive modeling possible. Conventional spectroscopic analysis tends to need expert knowledge to determine spectral features, eliminate background noise, and isolate pertinent chemical information. Nonetheless, AI-based methods enable effective processing of enormous spectral datasets to make real-time analysis more reliable and available across industries such as pharmaceuticals, environmental monitoring, food safety, and forensic science. Application of AI algorithms enables better accuracy in molecular signature detection, subtle spectral differences, and minimizing human error in spectral analysis. Moreover, integration with AI has made it possible to create portable and intelligent spectroscopic instruments, further expanding the use of these methods in remote and field-based environments

3.1 AI-Powered Spectral Data Processing and Noise Reduction

One of the most significant issues in spectroscopic analysis is noise interference, which can mask important spectral features and result in erroneous conclusions. AI and ML methods, such as deep learning-based models and sophisticated signal processing algorithms, have been found to be extremely useful in noise reduction and spectral enhancement. Neural networks and wavelet transform techniques are commonly employed to preprocess spectra to accurately detect peaks and minimize baseline distortions. These machine learning-based models are capable of separating genuine chemical signals from noise, allowing for greater accuracy in identifying weak or overlapping spectral features. In addition, machine learning models can learn to adjust to varying experimental conditions, enhancing spectral reproducibility across various analytical platforms. The capacity to automate noise filtering and signal enhancement has made spectroscopy more robust and useful in adverse environments, such as low-light fluorescence analysis or field-based Raman spectroscopy.

3.2 Machine Learning for Spectral Classification and Compound Identification

Machine learning algorithms have greatly enhanced the identification and classification of chemical compounds from their characteristic spectral signatures. Classic manual interpretation of spectra is often time-consuming and subject to human variability, while ML models offer high-throughput automated classification with minimal intervention. Routine methods like Principal Component Analysis (PCA), Support Vector Machines (SVM), and Random Forest classifiers are extensively employed for pattern recognition, enabling discrimination between structurally related compounds and trace contaminants in food, pharmaceuticals, and forensic samples. Deep learning methods, especially Convolutional Neural Networks (CNNs), have also improved spectral image analysis, facilitating the quick identification of disease biomarkers, drug metabolites, and industrial pollutants. Computer-classification models powered by AI not only enhance the precision of compound identification but also enable real-time decision-making by issuing automated notifications for sample irregularities or contamination incidents. Such advancements have established spectroscopy as a vital instrument for quality control, forensic analysis, and biomedical diagnostics.

3.3 Predictive Analytics and AI-Driven Spectroscopic Systems

Spectroscopic technologies empowered by artificial intelligence are transforming in-line chemical analysis by tapping the power of predictive analytics to gauge chemical content, reaction behaviors, and material traits with accurate prediction. Trained on huge databases of spectral content, machine learning models are making it possible to create predictor systems that can discover unidentified samples as well as predict chemical interaction outcomes. With artificial intelligence-scaffolded spectroscopy, there can be quality assurance in continuous batches of medicine without interruptions with regulation-compliance ascertaining mechanisms. In the same way, in environmental monitoring, predictive spectroscopy enables the detection of dangerous pollutants at an early stage, which helps in averting the risks of contamination before they worsen. AI-based systems also enhance process optimization in industrial applications by minimizing waste and maximizing manufacturing efficiency. Yet, full implementation of AI-enhanced spectroscopy relies on solving some core challenges, like the requirement of standard spectral databases, cross-platform usability and stringent validation standards to guarantee precision and reliability. Advances in future integration of AI will continue breaking boundaries in terms of spectroscopic analysis, advancing the field toward being an ever-more powerful, irreplaceable scientific and industrial tool.

4. DISCUSSION

The development of new spectroscopic techniques has led to new and dramatic advancements, such as spectrometers on tiny devices, artificial intelligence integration, and real-time analysis, rendering spectroscopy more convenient and effective in many industries. Such new technologies have improved pharmaceutical quality control, agricultural surveillance, environmental surveys, and food security. Yet high expenses, complicated equipment, and the requirement for standardized AI-based analysis remain among the challenges. Future work will involve enhancing portability, establishing open-access spectral databases, and designing hybrid

spectroscopic systems for increased specificity. Furthering applications in personalized medicine, precision agriculture, and sustainability will propel the next generation of spectroscopic development.

5. CONCLUSION

Spectroscopic methodologies have witnessed incredible advancements, fundamentally transforming chemical analysis by making it more precise, sensitive, and real-time. The coupling with artificial intelligence (AI) and machine learning (ML) has transformed data processing, allowing for automated spectral interpretation, pattern recognition, and predictive analytics, minimizing human error and enhancing efficiency. Miniaturization of devices and the creation of portable spectrometers have made it easier to apply spectroscopy in the field, and their applications have grown in pharmaceuticals for drug quality monitoring, in environmental analysis for detecting pollutants, in food safety for measuring contamination, and in forensic analysis for quick substance identification. In addition, hybrid spectroscopic methods that involve combining two or more modalities, e.g., Raman-IR and MS-NMR, have increased specificity and analytical functionality. Even with these advances, there are a few challenges that remain, such as the expensive instrumentation costs, the interpretive complexity of spectral data, and the absence of an internationally standardized set of spectral databases, which can discourage cross-platform portability and reproducibility. These limitations must be overcome through ongoing research, investment in AI-based automation, and the provision of open-access spectral repositories to facilitate better sharing of data and model training. With advancing technology, future advances will focus on the creation of high-throughput, low-cost, and field-portable spectroscopic systems with real-time analytical capabilities. Merging spectroscopy with AI, IoT connectivity and cloud spectral databases will facilitate more accurate chemical analysis, as well as access and indispensability in scientific and industrial applications.

REFERENCES

1. Buchberger, A. R., DeLaney, K., Johnson, J., & Li, L. (2017). Mass spectrometry imaging: a review of emerging advancements and future insights. *Analytical chemistry*, 90(1), 240.
2. Carmona, P., Navarro, R., & Hernanz, A. (Eds.). (2012). *Spectroscopy of biological molecules: Modern trends*. Springer Science & Business Media.
3. Das, R. S., & Agrawal, Y. K. (2011). Raman spectroscopy: Recent advancements, techniques and applications. *Vibrational spectroscopy*, 57(2), 163-176.
4. Gallo, M., & Ferranti, P. (2016). The evolution of analytical chemistry methods in foodomics. *Journal of Chromatography A*, 1428, 3-15.
5. Haas, J., & Mizaikoff, B. (2016). Advances in mid-infrared spectroscopy for chemical analysis. *Annual Review of Analytical Chemistry*, 9(1), 45-68.
6. He, Y., Tang, L., Wu, X., Hou, X., & Lee, Y. I. (2007). Spectroscopy: the best way toward green analytical chemistry?. *Applied Spectroscopy Reviews*, 42(2), 119-138.



7. Houhou, R., & Bocklitz, T. (2019). Trends in artificial intelligence, machine learning, and chemometrics applied to chemical data. *Analytical Science Advances*, 2(3-4), 128-141.
8. Koester, C. J., & Moulik, A. (2005). Trends in environmental analysis. *Analytical Chemistry*, 77(12), 3737-3754.
9. Laskin, A., Laskin, J., & Nizkorodov, S. A. (2012). Mass spectrometric approaches for chemical characterisation of atmospheric aerosols: critical review of the most recent advances. *Environmental Chemistry*, 9(3), 163-189.
10. Muro, C. K., Doty, K. C., Bueno, J., Halamkova, L., & Lednev, I. K. (2015). Vibrational spectroscopy: recent developments to revolutionize forensic science. *Analytical chemistry*, 87(1), 306-327.
11. Parkinson, D. R., & Dust, J. M. (2010). Overview of the current status of sediment chemical analysis: trends in analytical techniques. *Environmental Reviews*, 18(NA), 37-59.
12. Pasquini, C. (2018). Near infrared spectroscopy: A mature analytical technique with new perspectives—A review. *Analytica chimica acta*, 1026, 8-36.
13. Santos, M.C., Morais, C. L., Nascimento, Y. M., Araujo, J.M., & Lima, K. M. (2017). Spectroscopy with computational analysis in virological studies: A decade (2006–2016). *TrAC Trends in Analytical Chemistry*, 97, 244-256.
14. Silva, C. S., Braz, A., & Pimentel, M. F. (2019). Vibrational spectroscopy and chemometrics in forensic chemistry: critical review, current trends and challenges. *Journal of the Brazilian Chemical Society*, 30, 2259-2290.
15. Vogt, F. (2006). Trends in remote spectroscopic sensing and imaging—experimental techniques and chemometric concepts. *Current Analytical Chemistry*, 2(2), 107-127.
16. XWu, J., van den Berg, F., Rantanen, J., Rades, T., & Yang, M. (2014). Current advances and future trends in characterizing poorly water-soluble drugs using spectroscopic, imaging and data analytical techniques. *Current Pharmaceutical Design*, 20(3), 436-453.
17. Xuesong, H., Pu, C., Jingyan, L., Yupeng, X., Dan, L., & Xiaoli, C. (2019). Commentary on the review articles of spectroscopy technology combined with chemometrics in the last three years. *Applied Spectroscopy Reviews*, 59(4), 423-482.